

Number 1 @ad<=19991105 and ((modem adj command) USPAT; with network with parameter) US-PGPU	2000/20/20
EPO; JP DERWENT	20;
- 2 @ad<=19991105 and (modem adj command) and USPAT; (network adj parameter) US-PGPU EPO; JP DERWENT	2003/12/30 JB; 17:27 PO;
IBM_TDB - 12 @ad<=19991105 and (modem adj command).ti. USPAT; US-PGPU EPO; JP DERWENT	2003/12/30 17:51
- 6 @ad<=19991105 and (modem adj command).ti. IBM_TDB USPAT; US-PGPU EPO; JP	3 2003/12/31 JB; 12:09
- 0 @ad<=19991105 and ((modem adj command) USPAT; us-PGPU EPO; JP	3 2003/12/31 JB; 09:26
- 1 @ad<=19991105 and ((modem adj command) USPAT; same (device adj (command or function))) US-PGPU EPO; JP	JB; 09:28
Ged<=19991105 and (modem adj command) and USPAT; (device adj (command or function)) and USPAT; US-PGPU 375/222.ccls.	2003/12/31 09:43
[IBM_TDE] - 27 @ad<=19991105 and (modem adj command) and USPAT; (device adj (command or function)) US-PGPU EPO; JP	JB; 2003/12/31 11:03
- 17 (ead<=19991105 and ((modem adj command) USPAT; with (exten\$4 or alternat\$3)) US-PGPU EPO; JP	JB; 2003/12/31 11:04
- 4 @ad<=19991105 and brigida-david-j.in. USPAT; US-PGPU EPO; JP	JB; 2003/12/31 11:47
- 78 @ad<=19991105 and (modem adj command) and USPAT; 375/222.ccls. US-PGPU EPO; JP	JB; 2003/12/31 11:50
- 0 @ad<=19991105 and ((modem adj command) USPAT; same (network adj parameters)) US-PGPU EPO; JE	JB; 2003/12/31 11:50
- 0 @ad<=19991105 and (modem adj start adj USPAT; command) USPAT;	JB; 2003/12/31 12:10
- 18 (ad<=19991105 and (modem with (start adj USPAT; command)) USPAT; US-PGPU EPO; JF	JB; 2003/12/31 12:11
- 2 @ad<=19991105 and (Hayes with modem with USPAT; (start adj command)) EPO; JE IBM TDE	JB; 2003/12/31 12:12